

### Description

40.4271 -1 Plasticizer Matt is an universal plasticizer for all UHS and VOC topcoat systems. It is suitable for all plastic finishes with a high and long – term elasticity.

### Characteristics

- Can be used for all car plastic panels.
- Add 15 % of plasticizer to topcoats, clearcoats and fillers with medium and hard plastic.
- Add 50 % of plasticizer to topcoats, clearcoats and fillers with soft plastics.

### Usage

Addition of 40.4271 to colour	Gloss level at 60 °C
50%	75-85% Gloss
100%	65-75% Semi – matt
150%	50-60% Semi – matt
200%	10-20% Matt

### Important remarks

40.4271 must be included before the addition of the hardener.  
The drying is extended when using this additive.

### Technical information

**Solid content:** 46,8%  
**Specific gravity:** 1.032 g/cm<sup>3</sup>  
**Flash point:** 27 °C (80,6 °F)

### Tool cleaning

After use, thoroughly clean the tool with suitable dedicated cleaners. After cleaning, it is necessary to properly blow the paint gun with compressed air until it is completely dry.

### Health and safety

For health and safety measures, follow the relevant safety data sheet and label on the packaging. Also follow the storage instructions.

### Dodatne informacije

#### FOR PROFESSIONAL USE ONLY!

Always read the instructions.

**IMPORTANT:** This product contains hazardous substances at work so it is necessary to always use/wear appropriate protective equipment. For further instructions, check the label on the product and safety data sheet. A person who uses the product for any purpose other than

recommended in this technical data sheet, acts at his own risk. It is the user's responsibility to take all necessary steps to fulfill the local legislation.

Materials described are designed for application by professional, trained personnel using proper equipment and are not intended for sale to the general public.

Information and methods described are based on the best information and practices known to us and serve merely as guidelines for optimal use, without liability to performance, results, or fitness for any intended use. We do not accept any responsibility for the behaviour of the product or damage arising from the use of the product. Before using the product, the user must check if this is the latest version.

All products mentioned in this data sheet are trademarks owned by Silco