

### Description

Coarse particle size grades of micronized polypropylene for adding texture, structure and non-slip properties to a wide variety of paints and coatings i.e. Peugeot EWW, EJD....

### Characteristics

- Provides a consistent medium textured coating surface.
- Tough, high molecular weight of polypropylene gives a good film durability.
- Does not lower COF, ideal for non-skid surfaces.
- Easy to disperse powder that can be incorporated with high speed mixing

### Usage

From 3.0 – 10.0 % (on total formula weight)

### Important remarks

Additive needs to be added before the thinner.

### Technical information

<b>Specific gravity:</b>	1.032 g/cm <sup>3</sup>
<b>Melting point:</b>	160 - 170 °C (320 - 338 °F)
<b>Density at 25 °C (g/cc):</b>	0,89
<b>Maximum particle size (µm):</b>	149
<b>Average particle size (µm):</b>	45 - 55

### Tool cleaning

After use, thoroughly clean the tool with suitable dedicated cleaners. After cleaning, it is necessary to properly blow the paint gun with compressed air until it is completely dry.

### Health and safety

For health and safety measures, follow the relevant safety data sheet and label on the packaging. Also follow the storage instructions.

### Additional information

#### FOR PROFESSIONAL USE ONLY!

Always read the instructions.

**IMPORTANT:** This product contains hazardous substances at work so it is necessary to always use/wear appropriate protective equipment. For further instructions, check the label on the product and safety data sheet. A person who uses the product for any purpose other than recommended in this technical data sheet, acts at his own risk. It is the user's responsibility to take all necessary steps to fulfill the local legislation.

Materials described are designed for application by professional, trained personnel using proper equipment and are not intended for sale

to the general public.

Information and methods described are based on the best information and practices known to us and serve merely as guidelines for optimal use, without liability to performance, results, or fitness for any intended use. We do not accept any responsibility for the behaviour of the product or damage arising from the use of the product. Before using the product, the user must check if this is the latest version.

All products mentioned in this data sheet are trademarks owned by Silco.